

Current aspects of the use of bone block grafts and bone splitting

Augmentation using autologous bone

DR JÖRG NEUGEBAUER, DR FRANK KISTLER, DR STEFFEN KISTLER, DR MARTIN SCHEER, DR GEORG BAYER,
PROFESSOR JOACHIM E. ZÖLLER

Literature

1. Adeyemo WL, Reuther T, Bloch W, Korkmaz Y, Fischer JH, Zoller JE et al. Influence of host periosteum and recipient bed perforation on the healing of onlay mandibular bone graft: an experimental pilot study in the sheep. *Oral and maxillofacial surgery* 2008; 12: 19-28.
2. Aghaloo TL, Moy PK. Which hard tissue augmentation techniques are the most successful in furnishing bony support for implant placement? *Int J Oral Maxillofac Implants* 2007; 22 Suppl: 49-70.
3. Bassetti MA, Bassetti RG, Bosshardt DD. The alveolar ridge splitting/expansion technique: a systematic review. *Clin Oral Implants Res* 2015.
4. Blus C, Szmukler-Moncler S. Split-crest and immediate implant placement with ultra-sonic bone surgery: a 3-year life-table analysis with 230 treated sites. *Clin Oral Implants Res* 2006; 17: 700-707.
5. Brito C, Tenenbaum HC, Wong BK, Schmitt C, Nogueira-Filho G. Is keratinized mucosa indispensable to maintain peri-implant health? A systematic review of the literature. *J Biomed Mater Res B Appl Biomater* 2014; 102: 643-650.
6. Bruschi GB, Cappare P, Bravi F, Grande N, Gherlone E, Gastaldi G et al. Radiographic Evaluation of Crestal Bone Level in Split-Crest and Immediate Implant Placement: Minimum 5-Year Follow-up. *Int J Oral Maxillofac Implants* 2017; 32: 114-120.
7. Buser D, Dula K, Hirt HP, Schenk RK. Lateral ridge augmentation using autografts and barrier membranes: a clinical study with 40 partially edentulous patients. *J Oral Maxillofac Surg* 1996; 54: 420-432; discussion 432-423.
8. Dreiseidler T, Kaunisaho V, Neugebauer J, Zoller JE, Rothamel D, Kreppel M. Changes in volume during the four months' remodelling period of iliac crest grafts in reconstruction of the alveolar ridge. *Br J Oral Maxillofac Surg* 2016; 54: 751-756.
9. Esposito M, Grusovin MG, Worthington HV, Coulthard P. Interventions for replacing missing teeth: bone augmentation techniques for dental implant treatment. *Cochrane Database Syst Rev* 2006; CD003607.
10. Gehrke P, Neugebauer J. Implant surface design: using biotechnology to enhance osseointegration. Interview. *Dent Implantol Update* 2003; 14: 57-64.
11. Han JY, Shin SI, Herr Y, Kwon YH, Chung JH. The effects of bone grafting material and a collagen membrane in the ridge splitting technique: an experimental study in dogs. *Clinical oral implants research* 2011; 22: 1391-1398.
12. Khoury F. Chirurgische Aspekte und Ergebnisse zur Verbesserung des Knochenlagers vor implantologischen Maßnahmen. *Implantologie* 1994; 3: 237-247.
13. Khoury F. *Augmentative Verfahren in der Implantologie*. Berlin: Quintessenz Verlag 1: 2009.
14. Khoury F, Hanser T. Mandibular bone block harvesting from the retromolar region: a 10-year prospective clinical study. *Int J Oral Maxillofac Implants* 2015; 30: 688-397.
15. Lambrecht JT. [Intraoral piezo-surgery]. *Intraorale Piezo-Chirurgie*. *Schweiz Monatsschr Zahnmed* 2004; 114: 28-36.
16. Mangano F, Macchi A, Shibli JA, Luongo G, Iezzi G, Piattelli A et al. Maxillary ridge augmentation with custom-made CAD/CAM scaffolds. A 1-year prospective study on 10 patients. *J Oral Implantol* 2014; 40: 561-569.
17. McAllister BS, Haghghat K. Bone augmentation techniques. *J Periodontol* 2007; 78: 377-396.
18. Mounir M, Beheiri G, El-Beialy W. Assessment of marginal bone loss using full thickness versus partial thickness flaps for alveolar ridge splitting and immediate implant placement in the anterior maxilla. *Int J Oral Maxillofac Surg* 2014; 43: 1373-1380.
19. Nentwig GH. Knochenspreizung und Knochenkondensierung zur Verbesserung des Implantatlagers. *Die Quintessenz* 1996; 47: 7-18.
20. Neugebauer J, Stachulla G, Ritter L, Dreiseidler T, Mischkowski RA, Keeve E et al. Computer-aided manufacturing technologies for guided implant placement. *Expert Rev Med Devices* 2010; 7: 113-129.
21. Neugebauer J, Scherer P, Ritter L, Mischkowski RA, Scheer M, Zoeller JE. Threedimensional Evaluation of the retromolar area using Cone Beam Volumetric Imaging. *Int J Oral Maxillofac Implants* 2017; submitted.

22. Nkenke E, Schultze-Mosgau S, Radespiel-Troger M, Kloss F, Neukam FW. Morbidity of harvesting of chin grafts: a prospective study. *Clin Oral Implants Res* 2001; 12: 495-502.
23. Nkenke E, Radespiel-Troger M, Wiltfang J, Schultze-Mosgau S, Winkler G, Neukam FW. Morbidity of harvesting of retromolar bone grafts: a prospective study. *Clin Oral Implants Res* 2002; 13: 514-521.
24. Saadoun AP, Le Gall MG. Implant site preparation with osteotomes: principles and clinical application. *Pract Periodontics Aesthet Dent* 1996; 8: 453-463.
25. Strietzel FP, Nowak M. [Changes in the alveolar ridge level in implantation using the osteotomy technic. Retrospective studies]. *Hohenverlauf des Limbus alveolaris bei Implantationen mit der Osteotomtechnik. Retrospektive Untersuchung. Mund Kiefer Gesichtschir* 1999; 3: 309-313.
26. Talreja PS, Suvarna CR, Talreja PP. Alveolar ridge splitting for implant placement: a review of the procedure and report of 3 cases. *Gen Dent* 2015; 63: e20-23.
27. Voss JO, Dieke T, Doll C, Sachse C, Nelson K, Raguse JD et al. Retrospective long-term analysis of bone level changes after horizontal alveolar crest reconstruction with autologous bone grafts harvested from the posterior region of the mandible. *J Periodontal Implant Sci* 2016; 46: 72-83.
28. Zöllner JE, Neugebauer J, Lazar F. Kieferkammaugmentation und/oder Distraction. In Horch H-H (Hrsg.) *Praxis der Zahnheilkunde Bd. 10 Mund-Kiefer-Gesichtschirurgie*, 4. München Jena: Elsevier Urban & Fischer 2006; 200-223.