



CMD-Therapie: Vermeidung von Schmerzchronifizierung

Minimalinvasive gelenkchirurgische Verfahren bei Erkrankungen des Kiefergelenks

Ein Beitrag von Prof. Dr. Dr. Prof. h.c. (BNMU Kyiv) Andreas Michael Neff

Literaturangabe

- [1] Abrahamsson, H., Eriksson, L., Abrahamsson, P., Häggman-Henrikson, B.: Treatment of temporomandibular joint luxation: a systematic literature review, in: Clin Oral Investig. 2020 Jan;24(1):61-70.
- [2] Ahlers, M. O., Freesmeyer, W. B., Fussnegger, M., Göz, G., Jakstat, H. A., Koek, B., Neff, A., Ottl, P., Reiber, Th. (alphabetisch): Zur Therapie der funktionellen Erkrankungen des kranio-mandibulären Systems, Gemeinsame Stellungnahme mehrerer Fachgesellschaften in: Dtsch Zahnärztl Z 60 (10) 2005, 539-542
- [3] Al Moraissi, E., Wolford, L., Ellis. E III., Neff, A.: The Hierarchy of Different Treatments for Arthrogenous Temporomandibular Disorders: A Network Meta-Analysis of Randomized Clinical Trials, in: J Craniomaxillofac Surg. 2020 Jan;48(1):9-23.
- [4] Alpaslan, C., Dolwick, M.F., Heft, M.W.: Five-year retrospective evaluation of temporomandibular joint arthrocentesis, in: Int J Oral Maxillofac Surg 2003; 32: 263-267
- [5] Badel, T., Marotti, M., Kern, J., Laskarin, M.: A quantitative analysis of splint therapy of displaced temporomandibular joint disc, in: Ann Anat, 2009, 191(3): 280-287
- [6] Bergé, S., von Lindern, J.J., Niederhagen, B., Appel, T., Reich, R.H.: Mögliche Komplikationen bei der arthroskopischen Lavage des Kiefergelenks, in: Mund Kiefer GesichtsChir 2001; 5: 245-250
- [7] de Bont, L.G.M.: Temporomandibular joint degenerative diseases: pathogenesis and rationale of surgical management, in: J Craniomaxillofac Surg 1998; 26: S. 35-36
- [8] Bouloux, G., Koslin, M. G., Ness, G., Shafer, D.: Temporomandibular Joint Surgery, in: J Oral Maxillofac Surg, 2017; 75(8S), e195-e223.
- [9] Daif, E.T.: Autologous blood injection as a new treatment modality for chronic recurrent temporomandibular joint dislocation, in: Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2010 Jan;109(1):31-6.
- [10] Diraçoğlu, D. Saral, I.B., Keklik, B., Kurt, H., Emekli, U., Ozçakar, L., Karan, A., Aksoy, C.: Arthrocentesis versus nonsurgical methods in the treatment of temporomandibular disc displacement without reduction, in: Oral Surg Oral Med Oral Pathol Oral Radiol Endod, 2009; 108(1):3-8
- [11] Dolwick, M.F., Nitzan D.W.: The role of disc repositioning surgery for internal derangements of the temporomandibular joint, in: Oral Maxillofac Surg Clin North Am 1994; 6: 271-275
- [12] Dworkin, S., LeResche, L.: Research diagnostic criteria for temporomandibular disorders: review, criteria, examination and specifications, critique, in: J Craniomandib Disord 1992; 6: 301-355
- [13] Hegab, A.F.: Treatment of chronic recurrent dislocation of the temporomandibular joint with injection of autologous blood alone, intermaxillary fixation alone, or both together: a prospective, randomised, controlled clinical trial. Br J Oral Maxillofac Surg. 2013 Dec;51(8):813-7.
- [14] Hosaka, H., Murakami, K., Goto, K., Iizuka, T.: Outcome of arthrocentesis for temporomandibular joint with closed lock at 3 years follow-up, in: Oral Surg Oral Med Oral Pathol Oral Radiol Endod 1996; 82: 501-504
- [15] Kaneyama, K., Segami, N., Murakami, K.I., Iizuka, T.: Arthroscopic antero-lateral capsular release for internal derangement of the temporomandibular joint, a survey of 100 cases, in: J Craniomaxillofac Surg 1998. 26 Supplement 1: 89
- [16] Koslin, M.G., Martin, J.C.: The use of the Holmium laser for temporomandibular joint arthroscopic surgery, in: J Oral Maxillofac Surg 1993; 51: 122-123
- [17] Leiggener, C.S., Jochum, H., Türp, J.C.: Kranio-mandibuläre Dysfunktionen - Klassifikation, Diagnostik, Therapie, in: MKG-Chirurg 2016; 9:150-154
- [18] McCain, J.P., Podrasky, A.E., Zabiegalsky, J.A.: Arthroscopic disc repositioning and suturing: a preliminary report, in: J Oral Maxillofac Surg 1992; 50: 568-579
- [19] Mc Cain, J. P., Sanders, B., Koslin, M. G., Quinn, J. D., Peters, P. B., Indresano, A. T.: Temporomandibular joint arthroscopy: a 6-year multicenter retrospective study of 4381 joints, in: J Oral Maxillofac Surg 1992; 50: 926 - 930
- [20] Machon, V., Levorova, J., Hirjak, D., Wisniewski, M., Drahos, M., Sidebottom, A., Foltan, R.: A prospective assessment of outcomes following the use of autologous blood for the management of recurrent temporomandibular joint dislocation, in: Oral Maxillofac Surg. 2018 Mar;22(1):53-57
- [21] Mehra, P., Wolford, L.M. Use of the Mitek anchor in temporomandibular joint disc-repositioning surgery, in Proc (Bayl Univ Med Cent) 2001; 14: 22-26
- [22] Monje, F., Chossegros, C.: Therapeutic Arthroscopy of the Temporomandibular Joint. Retrodiscal Tissue Coagulation. in: Surgical Management of the Temporomandibular Joint. Vol. 1: Arthroscopy. I-Tunes Store, 2014

- [23] Murakami, K.I.: Arthroscopy of the temporomandibular joint: arthroscopic anatomy and arthroscopic approaches in the human cadaver (in Japanese) in: *Arthroscopy* 1981; 6:1-13
- [24] Murakami, K.I., Iizuka T., Matsuki M.: Ono T., Recapturing the persistent anteriorly displaced disk by mandibular manipulation after pumping and hydraulic pressure to the upper joint cavity of the temporomandibular joint, in: *Cranio* 1987; 5:17-24
- [25] Murakami, K., Hosaka, H., Moriya, Y., Segami, N., Iizuka, T.: Short-term treatment outcome study for the management of temporomandibular joint closed lock. A comparison of arthrocentesis to nonsurgical therapy and arthroscopic lysis and lavage, in: *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 1995; 80(3):253-27
- [26] Nagori, S.A., Jose, A., Gopalakrishnan, V., Roy, I.D., Chatopadhyay, P.K., Roychoudhury, A.: The efficacy of dextrose prolotherapy over placebo for temporomandibular joint hypermobility: A systematic review and meta-analysis, in: *J Oral Rehabil*, 2018 Dec;45(12):998-1006
- [27] Neff, A.: Aktuelle Therapiekonzepte bei Bewegungsstörungen des Kiefergelenks, *Neue Gruppe Nachrichten* 2003; 1: 2-11
- [28] Neff, A.: Endoskopische Verfahren in der Mund-, Kiefer- und Gesichtschirurgie, in: *MKG Chirurg* 2013; 6(3): 233-244
- [29] Neff, A., Gündel, H.: Anhaltender idiopathischer Gesichtsschmerz bzw. kranio-mandibuläre Dysfunktion, in: Henning, P./Ceballos-Baumann, A./Gündel, H. (Hrsg.): *Neuro- Psychosomatik*, Schattauer Verlag, Stuttgart – New York, 2006, S. 211-224
- [30] Neff, A., Kolk, A., Beer, A., Horch, H.-H.: Stellenwert des statischen MRT im Vergleich mit CINE-MRT, Achsiographie und Arthrosonographie, in: *Dtsch Zahnärztl Z* 2002; 57: 353-357
- [31] Neff, A., Kolk, A., Horch, H.-H.: Position und Beweglichkeit des Discus articularis nach operativer Versorgung diakapitulärer und hoher Kiefergelenkluxationsfrakturen, in: *Mund Kiefer Gesichtschir* 2000; 4: 111-117
- [32] Neff, A., Schmidt, C. (Lenkungsgruppe) (2021). DGM-KG S3- Leitlinie: Inflammatorische Erkrankungen des Kiefergelenks - Juvenile idiopathische Arthritis und Rheumatoide Arthritis des Kiefergelenks, Kurzversion 1.0, AWMF-Registernummer 007/061. <https://www.awmf.org/awmf-online-das-portal-der-wissenschaftlichen-medizin/awmf-aktuell.html>
- [33] Nitzan, D.W.: TMJ Anchored Disc Phenomenon (ADP). Sign and symptoms, treatment and pathogenesis of a new clinical entity, in: *J Craniomaxillofac Surg* 1998; 26: 132
- [34] Nitzan, D.W., Dolwick, M.F., Martinez, G.A.: Temporomandibular joint arthrocentesis: a simplified treatment for severe, limited mouth opening, in: *J Oral Maxillofac Surg* 1991; 49: 1163-1167
- [35] Nitzan, D.W., Nitzan, U., Dan, P., Yedgar, S.: The role of hyaluronic acid in protecting surface-active phospholipids from lysis by exogenous phospholipase A(2), in: *Rheumatology (Oxford)* 2001; 40: 336-340
- [36] Ohnishi, M.: Temporomandibular arthroscopy (in Japanese), in: *J Jpn Stomat* 1975; 42: 207-213
- [37] Ohnishi, M.: Arthroscopic laser surgery and suturing for temporomandibular joint disorders: Technique and clinical results, in: *Arthroscopy* 1991; 7:212-220
- [38] Pedroletti, F., Johnson, B.S., McCain, J.: Endoscopic techniques, in: *Oral and Maxillofacial Surgery. Oral Maxillofacial Surg Clin N Am* 2010; 22:169-182
- [39] Reich, R.H.: Konservative und chirurgische Behandlungsmöglichkeiten bei Kiefergelenkerkrankungen, in: *Mund Kiefer Gesichtschir* 2000; 4: 392-400
- [40] Reich R.H., von Lindern, J.J.: Chirurgische Eingriffe am Kiefergelenk, in: Schwenzer N., Ehrenfeld M. (Hrsg.) *Spezielle Chirurgie*, Georg Thieme Verlag, Stuttgart-New York, 2002, 39-53
- [41] Reich R.H., von Lindern, J.J.: Funktionelle Kiefergelenkchirurgie, in: Horch, H.H. (Hrsg.) *Mund-Kiefer-Gesichtschirurgie*, 4. Auflage, Urban und Fischer Verlag, München-Jena, 2007, 184-221
- [42] Reich, R. H., Teschke, M.: Kiefergelenkchirurgie, in: J.-E. Hausamen et al (Hrsg.), *Mund-, Kiefer- und Gesichtschirurgie*, Springer-Verlag Berlin Heidelberg 2012, 190-215
- [43] Sandkühler, J.: Schmerzgedächtnis: Entstehung, Vermeidung und Löschung, in: *Dt Ärztebl* 2001; 98: A 2725-2730
- [44] Sanromán, J.F.: Closed lock (MRI fix disc): a comparison of arthrocentesis and arthroscopy, in: *Int J Oral Maxillofac Surg*, 2004; 33 (4): 344-348
- [45] Sato, S., Kawamura, H., Nagasaka, H., Motegi, K.: The natural course of anterior disc displacement without reduction in the temporomandibular joint: follow-up at 6, 12 and 18 months, in: *J Oral Maxillofac Surg* 1997; 55 (3): 234-238
- [46] Sato, S., Oguri, S., Yamaguchi, K., Kawamura, H., Motegi, K.: Pumping injection of sodium hyaluronate for patients with non-reducing disc displacement of the temporomandibular joint: two year follow-up, in: *J Craniomaxillofac Surg*, 2001; 29 (2): 89-93
- [47] Schiffman, E., Ohrbach, R., Truelove, E., Look, J., Anderson, G., Goulet, J.P., List, T., Svensson, P., Gonzalez, Y., Lobbezoo, F., Michelotti, A., Brooks, S.L., Ceusters, W., Drangsholt, M., Ettl, D., Gaul, C., Goldberg, L.J., Haythornthwaite, J.A., Hollender, L., Jensen, R., John, M.T., De Laat, A., de Leeuw, R., Maixner, W., van der Meulen, M., Murray, G.M., Nixdorf, D.R., Palla, S., Petersson, A., Pionchon, P., Smith, B., Visscher, C.M., Zakrzewska, J., Dworkin, S.F.; International RDC/TMD Consortium Network, International association for Dental Research; Orofacial Pain Special Interest Group, International Association for the Study of Pain. Diagnostic Criteria for Temporomandibular Disorders (DC/TMD) for Clinical and Research Applications: recommendations of the International RDC/TMD Consortium Network* and Orofacial Pain Special Interest Group†, in: *J Oral Facial Pain Headache*. 2014 Winter;28(1):6-27
- [48] Sembionio, S., Albiero, A.M., Toror, C., Robiony, M., Politi, M.: Is there a role for arthrocentesis in recapturing the displaced disc in patients with closed lock of the temporomandibular joint?, in: *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;105 (3): 274-280; discussion 281
- [49] Srouji, S., Oren, D., Zoabi, A., Ohad, R., Zraik, H.: Temporomandibular joint arthroscopy technique using a single working cannula. *Int J Oral Maxillofac Surg*. 2016 Nov;45(11):1490-1494.
- [50] Tocaciu, S., McCullough, M. J.; Dimitroulis, G.: Surgical management of recurrent TMJ dislocation—a systematic review. *Oral Maxillofac Surg*. 2019 Mar;23(1):35-45.
- [51] Tucker, M.R., Jacoway, J.R., White, R.P.: Autogenous dermal grafts for repair of temporomandibular joint disc perforations, in: *J Oral Maxillofac Surg* 1986; 44: 781-789

- [52] Westesson, P.L., Eriksson, L., Liedberg, J.: The risk of damage to facial nerve, superficial temporal vessels, disk, and articular surfaces during arthroscopic examination of the temporomandibular joint, in: *Oral Surg Oral Med Oral Pathol* 1986; 62: 124-127
- [53] Wilkes, C.H.: Internal derangements of the temporomandibular joint. Pathological variations, in: *Arch Otolaryngol Head Neck Surg*; 1989; 115: 469-477
- [54] Wolford, L., Mehra, P.: Use of the Mitek anchor in the temporomandibular joint disc-repositioning surgery, in: *Proc (Bayl Univ Med Cent)* 2001, Jan 14 (1): 22-6
- [55] Yeung, R. W., Chow, R. L., Samman, N. and Chiu, K.: ,Short-term therapeutic outcome of intra-articular high molecular weight hyaluronic acid injection for nonreducing disc displacement of the temporomandibular joint, in: *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 102 (4), 2006: 453-61.
- [56] Yoshida, K. Botulinum Neurotoxin Injection for the Treatment of Recurrent Temporomandibular Joint Dislocation with and without Neurogenic Muscular Hyperactivity, in: *Toxins* 2018; 10 (5):
- [57] Yura, S., Totsuka, Y., Yoshikawa, T., Inoue, N.: Can arthrocentesis release intracapsular adhesions? Arthroscopic findings before and after irrigation under sufficient hydraulic pressure, in: *J Oral Maxillofac Surg* 2003; 61: 1253-1256